

SPECIFICATIONS

Driveline Angles @ Curb Specifications

Engine	Engine Angle (Deg)	Driveshaft Angle (Deg)	Pinion Angle (Deg)
4.0L	4.0	2.95	0.55
4.6L (3V)	4.0	3.61	0.55

All driveshaft and pinion angles point downward.

General Specifications

Item	Specification
Axle Capacities	
7.5 inch rear axle ^a	1.5 liters (3.0 pints)
8.8 inch rear axle ^b	1.9 liters (4.0/3.75 pints)
Additive Friction Modifier	118 ml (4 oz)

General Specifications (Continued)

Item	Specification
Lubricants	
SAW 75W140 Premium Rear Axle Lubricant XY-75W140	WSP-M2C192-A
Additive Friction Modifier XL-3	EST-M2C118-A
Premium Long-Life Grease XG-1-C	ESA-M1C75-B
Devcon Epoxy Sealer	M-3D35A (E)

- a Service refill capacities are determined by filling the axle 11.1 mm (0.4375 in (7/16 in)) to 12.7 mm (0.5 in (1/2 in)) below the bottom of the filler hole. The vehicle must be on a level surface.
- b Service refill capacities are determined by filling the axle 25.4 mm (1 in) to 28.6 mm (1.125 in- (1 1/8 in)) below the bottom of the filler hole. The vehicle must be on a level surface.