



2012 Mustang Boss/Boss Laguna Seca Package Pre-Delivery Service Record

Vehicle Identification Number (VIN)

Dealer Stock Number: _____

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Pre-Delivery Inspection Date: _____

1. Run OASIS
 Check OASIS using Pre-Delivery Symptom Code 804000 to identify any required additional PDI instructions.
 Confirm that all open Recalls and Field Service Actions have been completed.

2. Mechanical Inspections
 Check battery state of charge. Recharge if indicator is red or voltage measures ≤ 12.4 V.
 Check the windshield washer fluid reservoir(s) and fill to specification, if required.
 Check engine cooling system(s) degas bottle lever **COLD** and fill to specification, if required.
 Visually inspect all underhood components. Check for fluid leaks.
 Check tire pressure and inflate to specification (including spare tire). Set at outside ambient temperature.
 Visually inspect the tire inflator kit for proper location and condition (if equipped).
 Visually inspect all under-vehicle components. Check for fluid leaks.

3. Install Loose Ship Items
 Install radio antenna mast. Tighten to 3.5 Nm (30 lb-in). Do not overtighten.
 Install other loose ship items listed on the loose ship label. Refer to instruction sheets packaged with loose ship items (where applicable).
Note: Be sure to leave sun visor utility clip (if equipped) in glove box for customer. **Note:** The Boss 302 Laguna Seca package includes Ford Racing components that are shipped separately from the vehicle. These components and their installation are not part of PDI, and are paid as a credit on the Parts Statement. Some of these components require an owner's signature before installation or should only be installed by the end customer.

4. Functional Checks and Set-Up
 Reset PCM Calibration from transport mode - disconnect negative battery cable, wait 10 seconds, reconnect battery cable and turn ignition key on/off without starting engine.
 Set clock and radio pre-sets for all bands (use auto pre-set feature if equipped).
 Check instrument cluster gauges for proper operation.
 Set language and reset oil minder in Electronic Message Center.
 Check all safety belts and seat back latches. Remove any temporary bands from belts or buckle ends (if applicable).

5. Road Test

<input type="checkbox"/> Check safety belt chime/dash indicator. <input type="checkbox"/> Start vehicle and check throttle and idle return, check driveability. <input type="checkbox"/> Check for squeaks and rattles, vibration and windnoise. <input type="checkbox"/> Check steering control for proper alignment and steering wheel centering. <input type="checkbox"/> Check transmission performance.	<input type="checkbox"/> Check speed control (if equipped). <input type="checkbox"/> Check reverse park aid (if equipped). <input type="checkbox"/> Check brakes (including parking brake). <input type="checkbox"/> Check heater, air conditioner, defroster, ventilation and electric cooling fan systems.
--	---

6. Appearance
 Remove interior covers.
 Remove exterior covers. **Do not remove protective wheel covers until customer delivery.**
 Wash vehicle, clean the wiper blade element.
 Inspect paint. For factory defects, refer to Warranty and Policy Manual for repair policy. Repairs due to lot damage are the responsibility of the Dealership.
 Clean all inside windows and mirrors.
 Install floor mats in vehicle. **Note: The driver's floor mat must be securely fastened to the floor by attaching the mat to the provided hook or snap grommets. Do not place a floor mat on top of an existing floor mat.**
 Place necessary owner publications in vehicle. Include the owner card and keyless entry code card (if equipped).

7. Customer Delivery (Items in this section should be completed just prior to customer delivery.)
 Remove protective polyethylene wheel covers.

See the Work Shop Manual or the Owner's Guide for specifications and details on performing any procedures or for description and operation of vehicle features. All repairs found necessary during this pre-delivery inspection must be completed prior to delivery of the vehicle. Dealership authorized personnel in the service department should perform appropriate diagnostics and warranty repair (if applicable) per Ford Motor Company service publication procedures and warranty policies. See Ford Warranty and Policy Manual for directions on submitting Transportation or Warranty claims, repairs not meeting this criteria are the responsibility of the Dealership.

Dealer Name: _____ Dealer Sales Code: _____

By signature below, I certify that all items on this sheet have been inspected on this vehicle in accordance with all applicable procedures and all necessary operations have been performed by a service technician. I confirm that all open recalls and field service actions have been completed. I understand that it is a Sales and Service Agreement requirement to maintain this record in the Dealer's vehicle service file.

Dealer Authorized Signature: _____ Technician Signature: _____
 Date _____ Date _____